

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

P.S. - Irrigation & CAD Department - Disciplinary action against Sri D.J.Augustine, Executive Engineer (Rtd) for irregularities temporary flood protection works taken up in Dowlaiswaram, Head works division of I & CAD Department - Sanction under Rule 9 of APRP Rules, 1980 - Orders - Issued.

-----

IRRIGATION & CAD (SER.VII(V&E-2) DEPARTMENT  
G.O.Ms.No 259. Dated: 03 -10-2009

O R D E R:

Whereas it has been brought to the notice of the Government that Sri D.J.Augustine , Executive Engineer (Rtd) during his incumbency as Assistant Conservator of Floods, VGP has been alleged to have committed misconduct in temporary flood protection works taken up in Dowlaiswaram, Head works division of I & CAD Department.

2. Therefore Government have come to conclusion after examination that there exists a prima facie case to initiate Departmental action against Sri D.J.Augustine, Executive Engineer (Rtd) .

3. Now, therefore sanction is accorded under sub clause (i) under clause (b) of sub rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 to initiate Departmental Proceedings against the said Sri D.J.Augustine, Executive Engineer (Rtd)

4. It is further directed that the said Departmental proceedings shall be conducted in accordance with the procedure laid down in rule 20 of A.P Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**S.P.TUCKER**  
**PRINCIPAL SECRETARY TO GOVERNMENT**

To  
Sri D.J.Augustine, Executive Engineer (Rtd) through Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

The Engineer-in-Chief (AW),I& CAD Department, Hyderabad

// FORWARDED :: BY ORDER//

SECTION OFFICER